



Jalebi Making Machine

Sweet Funnel Making Machine
Base Model - JM 1



- High Tech Machine designed for making Jalebi automatically
- Extraordinary design reduces the footprint of the machine and improves comfort
- Large capacity hopper for containing bulk material all at once for processing
- Easy access to hopper for cleaning.
- Extremely easy to clean thanks to the perfect flatness of the support product plan made on AISI 304 stainless steel 2 mm thick
- Variable thickness of depositor unit nozzle for making all sizes of jalebi
- Variable number of depositor unit nozzle for variable design choices of jalebi
- Practical and intuitive control panel for speed controlling all the functionalities of the machine including the speed of the machine
- Adjustable speed of rotating of nozzles on depositor
- Adjustable speed of pump for variable design of jalebi
- Dedicated programme for rounding of sweet balls precisely
- Fuse and emergency switch given for safety
- 1-year warranty of all components




JM 1
JALEBI MAKING MACHINE-
BASE MODEL



DEPOSITOR UNIT





HOPPER



CONTROL PANNEL


PRODUCT CATALOG





Speed Control 1: (PUMP)

This Speed Control is responsible for the regulation of the speed of the pump. This Speed Control should be set to your requirement of the jalebi mixture. After putting the jalebi mixture in the machine you have to set this Speed Control to your personal requirement of the flow of the mixture that you want. This dimmer controls the speed of the pump and the pump controls the amount of the Jalebi Mixer coming out of the hand unit.




Speed Control 2: (Rotation of the Depositor Unit)

This Speed Control is responsible for the regulation of the speed of the rotation of the Depositor unit. This Depositor unit rotates with the Jalebi Mixture to give the jalebi its pretzel or circular shape. So, this Speed Control is set according to your Jalebi's Design. By increasing its speed, the rotation of the hand unit disk also increases and vice versa.

CONTROL PANNEL


SPEED CONTROLS

CONTROL PANNEL



Option of four outlets with variable thickness:

Equipped with an innovative hand unit, our machine offers unparalleled versatility and precision in operation. The hand unit seamlessly integrates with four distinct attachments, each available in four different sizes, culminating in a comprehensive set of 16 attachments. This diverse array empowers users with the flexibility to tailor their machine's capabilities to specific tasks, ensuring optimal performance across a spectrum of applications. With this multifaceted system, users can confidently achieve exceptional results with ease and efficiency, making it an indispensable asset in any professional setting.



ATTACHMENTS

DEPOSITOR UNIT

Product Details

Model: JM 1

Motors: AC & DC Motors

Power Input: 220 Volts

A: 10 inches

B: 40 inches

C: 36 inches

D: 16 inches

E: 20 inches


F: 16 inches

Net Weight: 80 kg


Packing For Shipping: 24 x 20 x 42 inches , 20 kg

Gross Weight: 100 kg

HS- Code: 8438.2000



SIDE VIEW



REAR VIEW

For more information

www.medatechindustries.com
admin@medatechindustries.com

Contact Us

+92 301 865 0700

+92 300 765 0714