



BARFI MAKER MACHINE

Base Model - BM 1

- High Tech Machine designed for making Barfi automatically
- Mixes Barfi with Sheesham Wood Pallet and makes it extremely smooth for further processing
- Both Three Phase 440 Volt AC Input and 220 Volt AC Input Compairtable
- Extraordinary design reduces the footprint of the machine and improves comfort
- Large capacity hopper for containing bulk material all at once for processing
- Easy access to hopper for cleaning.
- Extremely easy to clean thanks to the perfect flatness of the support product plan made on AISI 304 stainless steel
- Practical and intuitive control panel for controlling all the functionalities of the machine
- Optional adjustable speed of Mixer
- Mixer Masad is made of Sheesham Wood
- Dedicated programme for mixing and processing Barfi
- Fuse and emergency switch given for safety
- 1-year warranty of all components



BM 1
BARFI MAKING MACHINE



MIXER (MASAD)



OPERATING SWITCH

PRODUCT CATALOG

Following is the product catalog labelled for clarification;



SIDE VIEW



RIGHT VIEW



LEFT SIDE



MOTOR



FRONT VIEW



MIXXER (MASAD)



SIDE VIER



FRONT VIEW

Product Details

Model: BM 1

Gross Weight: 165 kg

Motors: AC Motors

A: 60 inches

Power Input: 220 Volts / 440 Volts

B: 52 inches



HS- Code: 8438.2000

C: 40 inches

Net Weight: 140 kg

D: 37 inches

Packing For Shipping: 65 x 45 x 47 inches , 25 kg



MEASUREMENTS - FRONT VIEW

MEASUREMENTS - SIDEVIEW



INSTALLATION GUIDE

INSTALLATION OF BOWL

Fix the upper half of the machine onto the bowl and fix the nuts on top of the machine where four bolts are placed and fix the nuts onto the bolts for fixing of the machine

INSTALLATION OF MIXER (MASAD)

Insert the mixer in bowl and rotate it clockwise to lock it after locking the handle in the slit.



MOTOR



MIXER

OPERATION MANUAL

ON SWITCH: (Mixer)

This is the only switch present in the control panel and it operates the mixer. Put the barfi mixer in the bowl and turn the switch on. is responsible for the regulation of the speed of the conveyor. This dimmer should be set to 100% speed.



SWITCH

For more information

www.medatechindustries.com
admin@medatechindustries.com

Contact Us

+92 301 865 0700
+92 300 765 0714



+92 300-765-0714
+92 41-873-9191



p-6297, Street 6, Muhammad Khan
Town, Faisalabad, 38000, Pakistan



admin@medatechindustries.com
www.medatechindustries.com